

Oral antifungals

- Fungo® capsules & oral solution (fluconazole)
- Mycazole[®] (fluconazole)
- Itrazol[®] capsules & oral solution (itraconazole)

Products presentation





Active ingredient: Fluconazole

Pharmaceutical form: Capsules

Route of administration: Oral use

Strength: 200 mg/cap

• Packaging: 7 capsules (blister)





Active ingredient: Fluconazole

Pharmaceutical form: Oral solution

Route of administration: Oral use

• Strength: 50 mg/10 ml

• Packaging: bottle x 150 ml (and measuring cap)





- Both pharmaceutical forms of Fungo[®] are indicated for the treatment of superficial and systemic fungal infections caused by a wide range of fungi pathogens (dermatophytes, yeasts, non-dermatophytes), such as skin infections, onychomycosis etc
- Dosage: dosage and duration of treatment depends on the infection,
 the severity of the conditions and the response to treatment





Pharmaceutical form

- The oral solution is easier to use in patients who have difficulties swallowing
- Moreover, in pediatric patients where the dosage should be adjusted according to the body weight, the form of oral solution is the first choice





Active ingredient: Fluconazole

Pharmaceutical form: Effervescent tablets

Route of administration: Oral use

Strength: 200 mg/tab

Packaging: 7 tabs (foil strip or bottle)





- Mycazole[®] is presented in the unique pharmaceutical form of effervescent tablets
- The composition of the product is protected by patent
- Mycazole[®] can be easily administered to patients having problems swallowing capsules. The product has a pleasant orange taste and it enhances patient's compliance to antifungal therapy, which in some cases may be long





- Mycazole[®] is indicated for the treatment of superficial and systemic fungal infections caused by a wide range of fungi pathogens (dermatophytes, yeasts, non-dermatophytes), such as skin infections, onychomycosis etc
- Dosage: dosage and duration of treatment depends on the infection,
 the severity of the conditions and the response to treatment





Active ingredient: Itraconzole

Pharmaceutical form: Capsules

Route of administration: Oral use

Strength: 100 mg/cap

• Packaging: 28 capsules (blister)





- Itrazol[®] capsules are indicated for the treatment of a wide range of fungal infections caused by one or more susceptible fungi (superficial, systemic, nail, vaginal etc)
- Dosage: dosage and duration of treatment depends on the infection,
 the severity of the conditions and the response to treatment





Active ingredient: Itraconazole

Pharmaceutical form: Oral solution

Route of administration: Oral use

Strength: 10 mg/ml

• Packaging: bottle x 150 ml (and measuring cap)



Itrazol® oral solution

- Itrazol® oral solution is indicated for the treatment of: oropharyngeal candidiasis in HIV positive or immuno-compromised patients; prophylactic therapy of systemic fungal infections in patients with hematologic malignancies; and patients undergoing transplantation, who are expected to be neutropenic
- Dosage: dosage and duration of treatment depends on the infection,
 the severity of the conditions and the response to treatment